



BULK SMS MARKETING PRIVATE LIMITED.

Voice Calls API Documentation

Table of Contents

1	Parameters And Descriptions	2
2	Text To Speech Calls	3
3	Recorded Voice Calls	4
4	Pre Recorded Voice Calls	5

Information About Parameters

api_key	Login Your Account -> Go To API Docs. & Get Your Unique API KEY (Required)
mobile	Recipient Mobile Number (Required)
type	1,2,3 [1= Pre Recorded, 2= Recorded, 3= Text To Speech] - (Required)
audio	Audio ID When Type = 1 (Required)
file	File Name [with location] When Type is = 2 (Required)
text	Text To Play When Type is = 3 (Required)
format	Format is XML and JSON. Not Case sensitive. If set, the result will be returned according to the format specified. (OPTIONAL)

Text To Speech

Now you can send verification calls systematically via coding. The system will call your user & will speak your message to the receiver . Usually, This kind of service is used to send verification calls.

All requests are submitted through the HTTP GET / POST Method

Base URL

https://sendpk.com/api/voicesms.php?api_key=YOUR_API_KEY&type=3&mobile=923001234567&text=hello

PHP Sample Code:

```
<?php

$url = "https://sendpk.com/api/voicesms.php";

$parameters = array("api_key" => "Your API Key",
                    "type" => "3",
                    "mobile" => "923001234567",
                    "text" => "Your Verification Code is 12345",
                    );

$ch = curl_init();
$timeout = 30;
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, FALSE);
curl_setopt($ch, CURLOPT_SSL_VERIFYHOST, 2);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, $parameters);
curl_setopt($ch, CURLOPT_TIMEOUT, $timeout);
$response = curl_exec($ch);
curl_close($ch);

echo $response ;

?>
```

Successful Response

```
{ "success": "true", "type": "API", "totalprice": "0.15", "totalgsm": "1", "remaincredit": "5180 RS", "results": [ { "status": "OK", "messageid": "e35c8381-24b4-41db-81b4-326dd3f1ee92", "gsm": "923001234567" } ] }
```

Error Response

```
{ "success": "false", "results": [ { "status": "1", "error": "Invalid Username Or Password" } ] }
```

Recorded Voice SMS

This method allows you to send single voice message to one or more destination addresses.

All requests are submitted through the HTTP POST Method

Base URL

<https://sendpk.com/api/voicesms.php>

PHP Sample Code:

```
<?php

    $curl = curl_init();
    curl_setopt_array($curl, array(
        CURLOPT_URL => "https://sendpk.com/api/voicesms.php",
        CURLOPT_RETURNTRANSFER => true,
        CURLOPT_ENCODING => "",
        CURLOPT_MAXREDIRS => 10,
        CURLOPT_TIMEOUT => 0,
        CURLOPT_FOLLOWLOCATION => true,
        CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
        CURLOPT_CUSTOMREQUEST => "POST",
        CURLOPT_POSTFIELDS => array("api_key" => "YOUR_API_KEY", "mobile" =>
"923001234567,923121234567", "type" => "2", "file" => new CURLFILE(
"/C:/Users/Downloads/VoiceClip.mp3")),
    ));
    $response = curl_exec($curl);
    curl_close($curl);
    echo $response;

?>
```

Successful Response

```
{ "success": "true", "type": "API", "totalprice": "0.0100", "totalgsm": "2", "remaincredit": "85.9187
EUR", "results": [ { "status": "OK", "messageid": "2f4d76d4-5646-4a73-a858-
d5466b7adbf8", "gsm": "923001234567" }, { "status": "OK", "messageid": "67b806c9-85c2-4b67-
bbfd-3b2709e55090", "gsm": "923121234567" } ] }
```

Error Response

```
{ "success": "false", "results": [ { "status": "1", "error": "Invalid Username Or Password" } ] }
```

Pre Recorded Voice SMS

This method allows you to send pre recorded voice message to one or more destination addresses. First of all upload your voice clip by login your account (sendpk.com/Login.php) and get unique message id.

All requests are submitted through the HTTP POST Method

PHP Sample Code:

```
<?php

$url = "https://sendpk.com/api/voicesms.php";
$parameters = array(
    "api_key" => "Your API Key",
    "mobile" => "92300,92312",
    "type" => "1",
    "audio" => "AUDIO_ID",
    "format" => "json",
);
$ch = curl_init();
$timeout = 30;
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, FALSE);
curl_setopt($ch, CURLOPT_SSL_VERIFYHOST, 2);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, $parameters);
curl_setopt($ch, CURLOPT_TIMEOUT, $timeout);
$response = curl_exec($ch);
curl_close($ch);
echo $response ;

?>
```

Successful Response

```
{"success":"true","type":"API","totalprice":"0.0100","totalgsm":"2","remaincredit":"85.9187
EUR","results":[{"status":"OK","messageid":"2f4d76d4-5646-4a73-a858-
d5466b7adbf8","gsm":"923001234567"}, {"status":"OK","messageid":"67b806c9-85c2-4b67-
bbfd-3b2709e55090","gsm":"923121234567"}]}
```

Error Response

```
{"success":"false","results":[{"status":"1","error":"Invalid Username Or Password"}]}
```